







A

- B



NOTES:

1. THE INSTALLER IS RESPONSIBLE FOR THE CORRECT SELECTION OF FIXINGS TO SUIT THE INSTALLATION ENVIRONMENT
RECOMMENDED MINIMUM - M16 X 125 RAWL BOLT OR SIMILAR
2. POWER REQUIREMENTS - SWITCHED FUSED SPUR 240V; 5A
3. APPROX GROSS SHIPPING WEIGHT 220Kg MAX (TBC)
4. INSTALLATION WEIGHT - 180Kg(APPROX) TBC
5. ALLOW 50Kg (APPROX) EXTRA FOR FULLY LADEN MACHINE



VIEW A

REVISION TABLE			
ISSUE:	ECN No:	REVISED BY:	DATE
1	-	D.REES	12/06/20
2	-	D.REES	12/09/20

© Banking Automation Ltd owns the copyright to this drawing. Any communication to a third party or reproduction in part or as whole without written permission is prohibited

WEIGHT (Kg) : 200
SCALE: 1:10
SHEET 1 OF 3

THIRD ANGLE PROJECTION DO NOT SCALE DRAWING	
DEBUR AND BREAK SHARP EDGES	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN mm [inches]	
TOLERANCES: LINEAR: 0-30 +/- 0.2; 30-120 +/- 0.30; 120-400 +/- 0.50; 400-1000 +/- 0.80; 1000+ +/-1.00	
ANGULAR: 0-10 +/- 0.1deg; 10-50 +/- 0.3deg; 50-120 +/- 0.2deg; 120+ +/- 0.10deg	
FOLD TO FOLD +/- 0.40	

MATERIAL:	N/A
MATERIAL THICKNESS (mm):	N/A mm
FINISH:	N/A

NAME :	D.REES
DATE :	12/09/2019
ISSUE :	2
FILENAME :	00-R30L-50

	Banking Automation Ltd Unit 510, Eskdale Road, Winnersh Triangle, Wokingham, Berks, RG41 5TU, England Tel: 0118 969 2224	
TITLE:	R30L INSTALLATION DRAWING	
DWG NO.	00-R30L-901	A2 SW

	Banking Automation Ltd Unit 510, Eskdale Road, Winnersh Triangle, Wokingham, Berks, RG41 5TU, England Tel: 0118 969 2224	
TITLE:	R30L INSTALLATION DRAWING	
DWG NO.	00-R30L-901	A2 SW

1200

11

A

B

C

D

E

F

G

H

LOBBY INSTALLATION

CABLE ACCESS FOR POWER AND COMMS

[17.13] 435

[8.27] 210

[24.02] 610
MAX AT THIS HEIGHT

[5.51] 140

[60.24] 1530 +
MIN HEIGHT FOR ALCOVE

[1.97] 50

[46.06] 1170
MINIMUM SERVICE AREA

[62.99] 1600
RECOMMENDED SERVICE AREA

R[21.45] 545
DOOR TOP

R[21.63] 549
LOWER DOOR

[41.34] 1050
MINIMUM SERVICE AREA

[46.97] 1193
RECOMMENDED INSTALLATION AREA

INSTALLATION WEIGHT
180 KG APPROX TBC
ALLOW EXTRA 50Kg FULLY LOADED

© Banking Automation Ltd owns the copyright to this drawing. Any communication to a third party or reproduction in part or as whole without written permission is prohibited.	THIRD ANGLE PROJECTION DO NOT SCALE DRAWING DEBUR AND BREAK SHARP EDGES	MATERIAL: N/A	NAME: D.REES	Banking Automation Ltd Unit 510, Eskdale Road, Winnersh Triangle, Wokingham, Berks, RG41 5TU, England Tel: 0118 969 2224	
	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN mm [inches]	MATERIAL THICKNESS (mm): N/A mm	DATE: 12/09/2019		
	TOLERANCES: LINEAR: 0-30 +/- 0.2; 30-120 +/- 0.30; 120-400 +/- 0.50; 400-1000 +/- 0.80; 1000+ +/- 1.00	FINISH: N/A	ISSUE: 2		TITLE: R30L INSTALLATION DRAWING
	ANGULAR: 0-10 +/- 1.0deg; 10-50 +/- 0.3deg; 50-120 +/- 0.2deg; 120+ +/- 0.10deg	FILENAME: 00-R30L-503	DWG NO. 00-R30L-901		A2 SW
WEIGHT (Kg) : 241.84	FOLD TO FOLD +/- 0.40				
SCALE: 1:10					
SHEET 2 OF 3					

ALLOW EXTRA 50Kg FULLY LOADED

© Banking Automation Ltd owns the copyright to this drawing. Any communication to a third party or reproduction in part or as whole without written permission is prohibited.	THIRD ANGLE PROJECTION DO NOT SCALE DRAWING DEBUR AND BREAK SHARP EDGES UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN mm [inches] TOLERANCES: LINEAR: 0-30 +0, 0.2; 30-120 +0, 0.30; 120-400 +0, 0.50; 400-1000 +0, 0.80; 1000+ +0, 1.00 ANGULAR: 0-10 +0, 1.0deg; 10-50 +0, 0.3deg; 50-120 +0, 0.2deg; 120+ +0, 0.10deg FOLD TO FOLD +0, 0.40	MATERIAL: N/A MATERIAL THICKNESS (mm): N/A mm FINISH: N/A	NAME: D.REES DATE: 12/09/2019 ISSUE: 2 FILENAME: 00-R30L-503	 Banking Automation Banking Automation Ltd Unit 510, Eddokke Road, Winnesh Triangle, Wokingham, Berks, RG41 5TU, England Tel: 0118 969 2224 R30L INSTALLATION DRAWING	A2 SW
WEIGHT (Kg) : 241.84 SCALE: 1:10 SHEET 2 OF 3	00-R30L-901				A2 SW

© Banking Automation Ltd owns the copyright to this drawing. Any communication to a third party or reproduction in part or as whole without written permission is prohibited.		THIRD ANGLE PROJECTION DO NOT SCALE DRAWING DEBUR AND BREAK SHARP EDGES UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN mm [inches] TOLERANCES: LINEAR: 0-30 +/- 0.2; 30-120 +/- 0.30; 120-400 +/- 0.50; 400-1000 +/- 0.80; 1000+ +/-1.00 ANGULAR: 0-10 +/- 1.0deg; 10-50 +/-0.3deg; 50-120 +/- 0.2deg; 120+ +/-0.10deg FOLD TO FOLD +/- 0.40	MATERIAL: N/A MATERIAL THICKNESS (mm): N/A mm FINISH: N/A	NAME: D.REES DATE: 12/09/2019 ISSUE: 2 FILENAME: 00-R30L-503	 Banking Automation Ltd Unit 510, Eskdale Road, Wetherers Triangle Wokingham, Berks, RG41 5TU, England Tel: 0118 969 2224 TITLE: R30L INSTALLATION DRAWING DWG NO. 00-R30L-901	A2 SW
WEIGHT (Kg) : 774.93						
SCALE: 1:6						
SHEET 3 OF 3						